

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrot copper products

C Press Fittings

CANADA
Price List #8
Effective April 21, 2025

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
150# FLANGES				BP7-40	2 1/2	1 12	302.73
press x flange Press Fit BP41-				BP7-48	3	1 9	380.87
BP41-24	1 1/2	1 10	459.00	BP7-64	4	1 4	475.00
BP41-32	2	1 10	443.15	BP7-12-08	3/4 X 1/2	15 240	13.03
BP41-40	2 1/2	1 5	494.46	BP7-16-12	1 X 3/4	10 70	28.18
BP41-48	3	1 6	599.28	90° Bend with MPT Thread			
BP41-64	4	1 6	670.43	Press x Male Thread (MPT) Press Fit BP74-			
45° Elbow				BP74-08	1/2	10 80	28.27
Press x Press Press Fit BP6-				BP74-12	3/4	12 96	45.18
BP6-08	1/2	10 240	6.73	BP74-16	1	9 72	68.05
BP6-12	3/4	10 120	9.08	BP74-20	1 1/4	4 32	92.69
BP6-16	1	5 60	26.55	BP74-24	1 1/2	2 16	126.71
BP6-20	1 1/4	4 40	38.08	BP74-32	2	2 16	179.04
BP6-24	1 1/2	2 24	61.74	90° Elbow Drop Ear FIP Thread			
BP6-32	2	2 12	86.35	Press x Female Thread (FPT) Press Fit BP735-			
BP6-40	2 1/2	1 16	203.17	BP735-08	1/2	10 80	26.55
BP6-48	3	1 12	285.82	BP735-12	3/4	8 64	52.30
BP6-64	4	1 6	382.40	90° Elbow with FPT Thread			
45° Street Elbow				Press x Female Thread (FPT) Press Fit BP73-			
Press x Fitting Press Fit BP6-2-				BP73-08	1/2	20 160	17.88
BP6-2-08	1/2	10 240	5.18	BP73-12	3/4	10 80	28.47
BP6-2-12	3/4	10 120	7.70	BP73-16	1	7 56	50.18
BP6-2-16	1	10 60	26.04	BP73-20	1 1/4	4 32	85.20
BP6-2-20	1 1/4	4 40	36.72	BP73-24	1 1/2	2 16	109.22
BP6-2-24	1 1/2	2 20	56.16	BP73-32	2	2 16	173.46
BP6-2-32	2	2 12	83.26	90° Street Elbow			
BP6-2-40	2 1/2	1 16	230.99	Press x Press Press Fit BP7-2-			
BP6-2-48	3	1 12	334.16	BP7-2-08	1/2	10 240	5.77
BP6-2-64	4	1 6	450.63	BP7-2-12	3/4	10 100	9.80
90° Bend				BP7-2-16	1	5 60	22.51
Press x Press Press Fit BP7-				BP7-2-20	1 1/4	2 36	40.00
BP7-08	1/2	10 240	6.35	BP7-2-24	1 1/2	2 20	76.38
BP7-12	3/4	10 100	10.36	BP7-2-32	2	2 12	105.00
BP7-16	1	5 60	21.18	BP7-2-40	2 1/2	1 14	314.92
BP7-20	1 1/4	2 36	39.38	BP7-2-48	3	1 9	385.45
BP7-24	1 1/2	2 20	74.80				
BP7-32	2	2 12	103.98				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
90° Street Elbow...Continued				BP3-2-16	1/8 X 1	20 200	55.04
Press x Press		Press Fit	BP7-2-	BP3-2-20	1/8 X 1 1/4	10 100	99.44
BP7-2-64	4	1 4	507.18	BP3-2-24	1/8 X 1 1/2	5 100	110.27
Cap				BP3-2-32	1/8 X 2	5 50	186.96
Press		Press Fit	BP17-	BP3-24-20	1 1/2 X 1 1/4	6 48	74.23
BP17-08	1/2	10 600	11.16	BP3-2-08-12	1/8 X 1/2 X 3/4	5 100	25.64
BP17-12	3/4	10 300	18.84	BP3-2-12-08	1/8 X 3/4 X 1/2	25 250	31.46
BP17-16	1	10 240	29.04	BP3-2-16-12	1/8 X 1 X 3/4	10 100	53.19
BP17-20	1 1/4	10 120	32.88	Female Union			
BP17-24	1 1/2	5 60	50.97	Press x Female Thread (FPT)		Press Fit	BP33-3-
BP17-32	2	5 40	61.91	BP33-3-08	1/2	12 96	32.69
BP17-40	2 1/2	1 40	207.49	BP33-3-12	3/4	10 80	41.94
BP17-48	3	1 36	250.65	BP33-3-16	1	5 40	69.63
BP17-64	4	1 24	315.00	BP33-3-20	1 1/4	4 32	88.10
Crossover Coupling				BP33-3-24	1 1/2	3 24	138.49
Press x Press		Press Fit	BP36-	BP33-3-32	2	3 15	182.77
BP36-08	1/2	10 100	49.42	Fitting Reducer			
BP36-12	3/4	10 50	74.12	Press x Fitting		Press Fit	BP02-
Female Adapter				BP02-12-08	3/4 X 1/2	10 240	5.77
Press x Female Pipe Thread (FPT)		Press Fit	BP3-	BP02-16-08	1 X 1/2	10 160	14.83
BP3-08	1/2	25 200	7.70	BP02-16-12	1 X 3/4	10 160	15.41
BP3-12	3/4	15 120	12.50	BP02-20-08	1 1/4 X 1/2	5 90	17.25
BP3-16	1	12 96	23.09	BP02-20-12	1 1/4 X 3/4	4 104	18.32
BP3-20	1 1/4	8 64	52.11	BP02-20-16	1 1/4 X 1	4 104	20.57
BP3-24	1 1/2	6 48	75.79	BP02-24-08	1 1/2 X 1/2	4 56	51.80
BP3-32	2	3 24	128.64	BP02-24-12	1 1/2 X 3/4	4 56	30.62
BP3-40	2 1/2	1 36	331.04	BP02-24-16	1 1/2 X 1	4 56	30.19
BP3-48	3	1 24	542.19	BP02-24-20	1 1/2 X 1 1/4	4 56	30.38
BP3-08-12	1/2 X 3/4	15 120	15.77	BP02-32-08	2 X 1/2	2 48	65.98
BP3-12-08	3/4 X 1/2	25 200	11.52	BP02-32-12	2 X 3/4	2 44	66.63
BP3-16-08	1 X 1/2	10 200	43.96	BP02-32-16	2 X 1	2 40	34.24
BP3-16-12	1 X 3/4	15 120	40.77	BP02-32-20	2 X 1 1/4	2 40	42.95
BP3-16-20	1 X 1 1/4	8 64	46.83	BP02-32-24	2 X 1 1/2	2 32	40.77
BP3-20-16	1 1/4 X 1	8 64	43.65	BP02-40-16	2 1/2 X 1	1 38	141.77
BP3-20-24	1 1/4 X 1 1/2	6 48	76.30	BP02-40-20	2 1/2 X 1 1/4	1 38	191.12
BP3-2-08	1/8 X 1/2	25 250	24.03	BP02-40-24	2 1/2 X 1 1/2	1 35	191.12
BP3-2-12	1/8 X 3/4	25 250	35.68	BP02-40-32	2 1/2 X 2	1 35	193.89
				BP02-48-20	3 X 1 1/4	1 25	235.82
				BP02-48-24	3 X 1 1/2	1 20	239.44
				BP02-48-32	3 X 2	1 20	239.44
				BP02-48-40	3 X 2 1/2	1 16	241.19



CELLO #	SIZE	BOX/MC	LIST
Fitting Reducer...Continued			
Press x Fitting	Press Fit	BP02-	
BP02-64-32	4 X 2	1 10	275.00
BP02-64-40	4 X 2 1/2	1 10	299.42
BP02-64-48	4 X 3	1 10	311.89
Male Adapter			
Press x Male Pipe Thread (MPT)	Press Fit	BP4-	
BP4-08	1/2	25 200	7.66
BP4-12	3/4	15 120	11.52
BP4-16	1	15 120	21.16
BP4-20	1 1/4	8 64	46.34
BP4-24	1 1/2	4 32	65.01
BP4-32	2	3 24	125.19
BP4-40	2 1/2	1 28	309.86
BP4-48	3	1 18	389.83
BP4-64	4	1 12	530.00
BP4-08-12	1/2 X 3/4	18 144	12.50
BP4-12-08	3/4 X 1/2	15 120	13.08
BP4-12-16	3/4 X 1	15 120	32.19
BP4-16-12	1 X 3/4	15 120	33.65
BP4-16-20	1 X 1 1/4	9 72	41.94
BP4-20-16	1 1/4 X 1	8 64	48.29
BP4-20-24	1 1/4 X 1 1/2	4 32	51.54
BP4-2-08	1/8 X 1/2	5 250	22.22
BP4-2-12	1/8 X 3/4	5 160	37.70
BP4-2-16	1/8 X 1	5 200	55.26
BP4-2-20	1/8 X 1 1/4	5 50	75.73
BP4-2-24	1/8 X 1 1/2	5 50	111.75
BP4-2-32	1/8 X 2	5 25	167.40
BP4-24-20	1 1/2 X 1 1/4	5 40	64.81
BP4-24-32	1 1/2 X 2	3 24	152.15
BP4-32-24	2 X 1 1/2	3 24	297.86
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20	25.89
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180	36.02
BP4-2-16-12	1/8 X 1 X 3/4	5 200	53.23
Male Union			
Press x Male Thread (MPT)	Press Fit	BP33-4-	
BP33-4-08	1/2	12 96	35.58
BP33-4-12	3/4	10 80	49.24

CELLO #	SIZE	BOX/MC	LIST
BP33-4-16	1	5 40	70.79
BP33-4-20	1 1/4	4 32	106.56
BP33-4-24	1 1/2	3 24	148.69
BP33-4-32	2	3 15	193.62
No Stop Coupling			
Press x Press	Press Fit	BP0-NSTOP-	
BP0-NSTOP-08	1/2	10 300	12.85
BP0-NSTOP-12	3/4	10 160	17.11
BP0-NSTOP-16	1	10 120	20.97
BP0-NSTOP-20	1 1/4	4 64	31.91
BP0-NSTOP-24	1 1/2	2 40	49.22
BP0-NSTOP-32	2	2 20	57.32
BP0-NSTOP-40	2 1/2	1 32	150.87
BP0-NSTOP-48	3	1 18	199.65
BP0-NSTOP-64	4	1 12	271.17
Press by Pex (F1960) Adapter			
Press x Pex (F1960)	Press Fit	BPPXX0-	
BPPXX0-08	1/2	40 320	7.72
BPPXX0-12	3/4	15 120	11.43
BPPXX0-16	1	12 96	18.47
BPPXX0-08-12	1/2 X 3/4	15 120	9.82
BPPXX0-12-08	3/4 X 1/2	15 120	11.28
BPPXX0-12-16	3/4 X 1	12 96	18.17
Press by Pex Adapter			
Press x Pex	Press Fit	BPPX0-	
BPPX0-08	1/2	40 320	7.35
BPPX0-12	3/4	15 120	9.82
BPPX0-16	1	12 96	13.53
BPPX0-08-12	1/2 X 3/4	15 120	7.24
BPPX0-12-08	3/4 X 1/2	15 120	8.93
BPPX0-12-16	3/4 X 1	12 96	12.94
Press to Pex Tee			
Press x Press x Pex	Press Fit	BPPXT-	
BPPXT-12-12-08	3/4 X 3/4 X 1/2	10 80	24.28
BPPXT-16-16-08	1 X 1 X 1/2	7 56	33.30



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Press to Pex Tee...Continued				BP0-40-24	2 1/2 X 1 1/2	1 10	278.44
Press x Press x Pex Press Fit BPPXT-				BP0-40-32	2 1/2 X 2	1 30	283.27
BPPXT-16-16-12	1 X 1 X 3/4	7 56	35.77	BP0-48-24	3 X 1 1/2	1 24	317.24
Press x Press Union Press Fit BP33-				BP0-48-32	3 X 2	1 24	319.87
BP33-08	1/2	12 96	40.77	BP0-48-40	3 X 2 1/2	1 24	373.08
BP33-12	3/4	10 80	53.47	BP0-64-32	4 X 2	1 10	394.12
BP33-16	1	5 40	85.41	BP0-64-40	4 X 2 1/2	1 10	437.77
BP33-20	1 1/4	4 32	121.95	BP0-64-48	4 X 3	1 10	479.22
BP33-24	1 1/2	3 24	165.62	BP0-SLIP-08	1/2	10 100	9.03
BP33-32	2	3 15	269.63	BP0-SLIP-12	3/4	10 100	13.51
Straight Coupling With Stop Press x Press Press Fit BP0-				BP0-SLIP-16	1	10 100	24.43
BP0-08	1/2	10 300	5.18	BP0-SLIP-20	1 1/4	5 50	35.18
BP0-12	3/4	10 160	7.89	BP0-SLIP-24	1 1/2	5 50	52.05
BP0-16	1	10 120	15.94	BP0-SLIP-32	2	5 30	71.84
BP0-20	1 1/4	4 64	19.81	Tee with Female Thread Branch (FPT)			
BP0-24	1 1/2	2 40	36.91	Press x Press x Female Thread (FPT) Press Fit BP12-			
BP0-32	2	2 20	47.12	BP12-08	1/2	8 64	29.95
BP0-40	2 1/2	1 32	150.87	BP12-12	3/4	7 56	50.87
BP0-48	3	1 18	193.76	BP12-12-12-08	3/4 X 3/4 X 1/2	7 56	40.63
BP0-64	4	1 12	266.74	BP12-16-16-08	1 X 1 X 1/2	5 70	52.00
BP0-12-08	3/4 X 1/2	10 240	23.71	BP12-16-16-12	1 X 1 X 3/4	5 40	60.38
BP0-16-08	1 X 1/2	10 120	25.14	BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1 50	74.47
BP0-16-12	1 X 3/4	10 120	27.13	BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1 50	77.22
BP0-20-08	1 1/4 X 1/2	4 72	37.97	BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1 32	88.26
BP0-20-12	1 1/4 X 3/4	4 72	38.19	BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1 20	128.24
BP0-20-16	1 1/4 X 1	4 72	39.43	BP12-32-32-08	2 X 2 X 1/2	1 12	107.46
BP0-24-08	1 1/2 X 1/2	4 40	54.64	BP12-32-32-12	2 X 2 X 3/4	1 12	118.58
BP0-24-12	1 1/2 X 3/4	4 40	54.64	Tees			
BP0-24-16	1 1/2 X 1	4 40	56.11	Press x Press x Press Press Fit BPT-			
BP0-24-20	1 1/2 X 1 1/4	4 40	58.14	BPT-08	1/2	10 120	8.85
BP0-32-08	2 X 1/2	1 45	173.11	BPT-12	3/4	10 60	15.57
BP0-32-12	2 X 3/4	2 32	69.89	BPT-16	1	4 40	28.09
BP0-32-16	2 X 1	2 32	71.06	BPT-20	1 1/4	2 24	47.50
BP0-32-20	2 X 1 1/4	2 32	75.61	BPT-24	1 1/2	2 16	92.30
BP0-32-24	2 X 1 1/2	1 32	65.37	BPT-32	2	1 8	114.04
BP0-40-16	2 1/2 X 1	1 10	270.11	BPT-40	2 1/2	1 10	374.18
BP0-40-20	2 1/2 X 1 1/4	1 10	275.17	BPT-48	3	1 6	467.68
				BPT-64	4	1 4	675.00
				BPT-08-08-12	1/2 X 1/2 X 3/4	10 80	29.60
				BPT-08-08-16	1/2 X 1/2 X 1	10 60	41.98
				BPT-12-08-08	3/4 X 1/2 X 1/2	10 70	24.03



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Tees...Continued				BPT-32-24-32	2 X 1 1/2 X 2	1 12	152.97
Press x Press x Press				BPT-32-32-08	2 X 2 X 1/2	1 12	157.95
Press Fit				BPT-32-32-12	2 X 2 X 3/4	1 12	133.54
BPT-				BPT-32-32-16	2 X 2 X 1	1 12	137.89
BPT-12-08-12	3/4 X 1/2 X 3/4	10 30	24.98	BPT-32-32-20	2 X 2 X 1 1/4	1 12	137.98
BPT-12-12-08	3/4 X 3/4 X 1/2	10 80	13.08	BPT-32-32-24	2 X 2 X 1 1/2	1 12	103.65
BPT-12-12-16	3/4 X 3/4 X 1	5 80	44.17	BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1 12	592.10
BPT-16-08-12	1 X 1/2 X 3/4	10 60	66.48	BPT-40-16-40	2 1/2 X 1 X 2 1/2	1 12	611.33
BPT-16-08-16	1 X 1/2 X 1	10 40	45.24	BPT-40-24-32	2 1/2 X 1 1/2 X 2	1 12	556.98
BPT-16-12-08	1 X 3/4 X 1/2	10 60	47.77	BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1 12	541.05
BPT-16-12-12	1 X 3/4 X 3/4	10 60	42.70	BPT-40-32-12	2 1/2 X 2 X 3/4	1 12	568.88
BPT-16-12-16	1 X 3/4 X 1	10 40	48.33	BPT-40-32-16	2 1/2 X 2 X 1	1 12	535.63
BPT-16-16-08	1 X 1 X 1/2	10 60	32.11	BPT-40-32-24	2 1/2 X 2 X 1 1/2	1 10	502.99
BPT-16-16-12	1 X 1 X 3/4	10 40	31.91	BPT-40-32-32	2 1/2 X 2 X 2	1 10	513.92
BPT-16-16-20	1 X 1 X 1 1/4	4 28	83.91	BPT-40-32-40	2 1/2 X 2 X 2 1/2	1 0	505.37
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1 40	92.64	BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1 18	495.00
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1 50	78.06	BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1 18	515.72
BPT-20-12-12	1 1/4 X 3/4 X 3/4	4 28	78.06	BPT-40-40-16	2 1/2 X 2 1/2 X 1	1 16	515.72
BPT-20-12-16	1 1/4 X 3/4 X 1	4 28	81.80	BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1 15	515.72
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	4 24	71.19	BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1 12	510.27
BPT-20-16-08	1 1/4 X 1 X 1/2	1 45	55.60	BPT-40-40-32	2 1/2 X 2 1/2 X 2	1 10	452.42
BPT-20-16-12	1 1/4 X 1 X 3/4	4 24	51.48	BPT-48-12-48	3 X 3/4 X 3	1 9	596.93
BPT-20-16-16	1 1/4 X 1 X 1	4 24	55.60	BPT-48-16-48	3 X 1 X 3	1 9	631.83
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	4 24	42.51	BPT-48-32-32	3 X 2 X 2	1 9	631.82
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	4 40	43.51	BPT-48-32-48	3 X 2 X 3	1 0	624.71
BPT-20-20-16	1 1/4 X 1 1/4 X 1	4 32	45.18	BPT-48-40-32	3 X 2 1/2 X 2	1 9	622.37
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	2 16	117.10	BPT-48-40-40	3 X 2 1/2 X 2 1/2	1 0	636.40
BPT-24-16-12	1 1/2 X 1 X 3/4	2 18	117.06	BPT-48-48-08	3 X 3 X 1/2	1 12	551.17
BPT-24-16-16	1 1/2 X 1 X 1	2 18	130.66	BPT-48-48-12	3 X 3 X 3/4	1 12	561.11
BPT-24-16-24	1 1/2 X 1 X 1 1/2	2 16	135.78	BPT-48-48-16	3 X 3 X 1	1 12	561.11
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1 25	97.34	BPT-48-48-20	3 X 3 X 1 1/4	1 10	561.11
BPT-24-20-16	1 1/2 X 1 1/4 X 1	2 16	112.97	BPT-48-48-24	3 X 3 X 1 1/2	1 10	561.11
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	2 16	86.01	BPT-48-48-32	3 X 3 X 2	1 10	541.80
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	4 24	98.27	BPT-48-48-40	3 X 3 X 2 1/2	1 7	599.07
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	4 24	81.94	BPT-64-48-48	4 X 3 X 3	1 8	954.18
BPT-24-24-16	1 1/2 X 1 1/2 X 1	4 24	83.46	BPT-64-64-08	4 X 4 X 1/2	1 8	850.00
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	4 24	86.43	BPT-64-64-12	4 X 4 X 3/4	1 8	845.00
BPT-32-08-32	2 X 1/2 X 2	1 10	197.78	BPT-64-64-16	4 X 4 X 1	1 8	625.00
BPT-32-12-32	2 X 3/4 X 2	1 10	197.78	BPT-64-64-20	4 X 4 X 1 1/4	1 5	755.00
BPT-32-16-16	2 X 1 X 1	1 12	132.88	BPT-64-64-24	4 X 4 X 1 1/2	1 6	705.00
BPT-32-16-32	2 X 1 X 2	1 0	131.67	BPT-64-64-32	4 X 4 X 2	1 6	605.00
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1 12	184.20	BPT-64-64-40	4 X 4 X 2 1/2	1 4	580.00
BPT-32-24-12	2 X 1 1/2 X 3/4	1 12	164.12	BPT-64-64-48	4 X 4 X 3	1 4	635.00
BPT-32-24-16	2 X 1 1/2 X 1	1 12	157.50	BPT-64-64-48	4 X 4 X 3	1 4	635.00
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1 12	178.64				
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1 12	181.12				



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrot*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taking in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.