

# CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61\*

\* wrought copper products

## C Press Fittings

CANADA

Price List #5

Effective February 15, 2021

## PRICE LIST

CANADA

210 Avenue Road  
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150  
Fax: (519) 621-4108  
Customer Service: 1-800-265-7882  
e-mail:  
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:  
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>150# FLANGES</b>				BP7-32	2	2 12	97.74
<b>press x flange Press Fit BP41-</b>				BP7-40	2 1/2	1 12	284.56
BP41-20	1 1/4	1 0	318.20	BP7-48	3	1 9	358.01
BP41-24	1 1/2	1 0	351.26	BP7-64	4	1 4	452.62
BP41-32	2	1 0	385.70	BP7-12-08	3/4 X 1/2	15 240	11.70
BP41-40	2 1/2	1 0	430.36	BP7-16-12	1 X 3/4	10 70	26.49
BP41-48	3	1 6	521.60	<b>90° Bend with MPT Thread</b>			
BP41-64	4	1 6	583.53	<b>Press x Male Thread (MPT) Press Fit BP74-</b>			
<b>45° Elbow</b>				BP74-08	1/2	10 80	24.61
<b>Press x Press Press Fit BP6-</b>				BP74-12	3/4	12 96	39.32
BP6-08	1/2	10 240	5.86	BP74-16	1	9 72	59.23
BP6-12	3/4	10 120	7.90	BP74-20	1 1/4	4 32	80.67
BP6-16	1	5 60	23.10	BP74-24	1 1/2	2 16	110.28
BP6-20	1 1/4	4 40	33.14	BP74-32	2	2 16	155.84
BP6-24	1 1/2	2 24	53.74	<b>90° Elbow Drop Ear FIP Thread</b>			
BP6-32	2	2 12	75.16	<b>Press x Female Thread (FPT) Press Fit BP735-</b>			
BP6-40	2 1/2	1 16	209.68	BP735-08	1/2	10 80	23.10
BP6-48	3	1 12	248.77	BP735-12	3/4	8 64	45.53
BP6-64	4	1 6	332.83	<b>90° Elbow with FPT Thread</b>			
<b>45° Street Elbow</b>				<b>Press x Female Thread (FPT) Press Fit BP73-</b>			
<b>Press x Fitting Press Fit BP6-2-</b>				BP73-08	1/2	20 160	15.57
BP6-2-08	1/2	10 240	4.51	BP73-12	3/4	10 80	24.78
BP6-2-12	3/4	10 120	6.70	BP73-16	1	7 56	43.68
BP6-2-16	1	10 60	22.67	BP73-20	1 1/4	4 32	74.16
BP6-2-20	1 1/4	4 40	31.96	BP73-24	1 1/2	2 16	95.06
BP6-2-24	1 1/2	2 20	48.88	BP73-32	2	2 16	150.98
BP6-2-32	2	2 12	72.47	<b>90° Street Elbow</b>			
BP6-2-40	2 1/2	1 16	201.05	<b>Press x Press Press Fit BP7-2-</b>			
BP6-2-48	3	1 12	290.85	BP7-2-08	1/2	10 240	5.02
BP6-2-64	4	1 6	392.21	BP7-2-12	3/4	10 100	8.52
<b>90° Bend</b>				BP7-2-16	1	5 60	19.59
<b>Press x Press Press Fit BP7-</b>				BP7-2-20	1 1/4	2 36	34.82
BP7-08	1/2	10 240	5.53	BP7-2-24	1 1/2	2 20	66.47
BP7-12	3/4	10 100	9.02	BP7-2-32	2	2 12	91.39
BP7-16	1	5 60	18.43	BP7-2-40	2 1/2	1 14	274.10
BP7-20	1 1/4	2 36	37.02	BP7-2-48	3	1 9	335.48
BP7-24	1 1/2	2 20	70.31				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>90° Street Elbow...Continued</b>				BP3-2-16	1/8 X 1	20	200 On Request
<b>Press x Press</b>		<b>Press Fit</b>	<b>BP7-2-</b>	BP3-2-20	1/8 X 1 1/4	10	100 On Request
BP7-2-64	4	1 4	441.43	BP3-2-24	1/8 X 1 1/2	5	100 On Request
<b>Cap</b>				BP3-2-32	1/8 X 2	5	50 On Request
<b>Press</b>		<b>Press Fit</b>	<b>BP17-</b>	BP3-24-20	1 1/2 X 1 1/4	6	48 64.61
BP17-08	1/2	10 600	9.71	BP3-2-08-12	1/8 X 1/2 X 3/4	5	100 On Request
BP17-12	3/4	10 300	16.39	BP3-2-12-08	1/8 X 3/4 X 1/2	25	250 On Request
BP17-16	1	10 240	25.27	BP3-2-16-12	1/8 X 1 X 3/4	10	100 On Request
BP17-20	1 1/4	10 120	28.62	<b>Female Union</b>			
BP17-24	1 1/2	5 60	44.36	<b>Press x Female Thread (FPT)</b>		<b>Press Fit</b>	<b>BP33-3-</b>
BP17-32	2	5 40	53.88	BP33-3-08	1/2	12 96	28.46
BP17-40	2 1/2	1 40	180.59	BP33-3-12	3/4	10 80	36.50
BP17-48	3	1 36	218.16	BP33-3-16	1	5 40	60.60
BP17-64	4	1 24	290.68	BP33-3-20	1 1/4	4 32	76.67
<b>Crossover Coupling</b>				BP33-3-24	1 1/2	3 24	120.54
<b>Press x Press</b>		<b>Press Fit</b>	<b>BP36-</b>	BP33-3-32	2	3 15	159.07
BP36-08	1/2	10 100	43.01	<b>Fitting Reducer</b>			
BP36-12	3/4	10 50	64.52	<b>Press x Fitting</b>		<b>Press Fit</b>	<b>BP02-</b>
<b>Female Adapter</b>				BP02-12-08	3/4 X 1/2	10 240	5.02
<b>Press x Female Pipe Thread (FPT)</b>		<b>Press Fit</b>	<b>BP3-</b>	BP02-16-08	1 X 1/2	10 160	12.90
BP3-08	1/2	25 200	6.70	BP02-16-12	1 X 3/4	10 160	13.41
BP3-12	3/4	15 120	10.88	BP02-20-08	1 1/4 X 1/2	5 180	15.94
BP3-16	1	12 96	20.09	BP02-20-12	1 1/4 X 3/4	4 104	15.94
BP3-20	1 1/4	8 64	45.35	BP02-20-16	1 1/4 X 1	4 104	17.91
BP3-24	1 1/2	6 48	65.97	BP02-24-08	1 1/2 X 1/2	4 56	45.08
BP3-32	2	3 24	111.96	BP02-24-12	1 1/2 X 3/4	4 56	26.65
BP3-40	2 1/2	1 36	288.12	BP02-24-16	1 1/2 X 1	4 56	26.27
BP3-48	3	1 24	471.91	BP02-24-20	1 1/2 X 1 1/4	4 56	26.45
BP3-08-12	1/2 X 3/4	15 120	13.73	BP02-32-08	2 X 1/2	2 48	57.43
BP3-12-08	3/4 X 1/2	25 200	10.03	BP02-32-12	2 X 3/4	2 44	57.99
BP3-16-08	1 X 1/2	10 200	38.26	BP02-32-16	2 X 1	2 40	29.80
BP3-16-12	1 X 3/4	15 120	35.49	BP02-32-20	2 X 1 1/4	2 40	37.38
BP3-16-20	1 X 1 1/4	8 64	40.76	BP02-32-24	2 X 1 1/2	2 32	35.49
BP3-20-16	1 1/4 X 1	8 64	37.99	BP02-40-16	2 1/2 X 1	1 38	136.24
BP3-20-24	1 1/4 X 1 1/2	6 48	66.41	BP02-40-20	2 1/2 X 1 1/4	1 38	204.25
BP3-2-08	1/8 X 1/2	25	250 On Request	BP02-40-24	2 1/2 X 1 1/2	1 35	204.25
BP3-2-12	1/8 X 3/4	25	250 On Request	BP02-40-32	2 1/2 X 2	1 35	204.25
				BP02-48-20	3 X 1 1/4	1 25	221.67
				BP02-48-24	3 X 1 1/2	1 20	241.94
				BP02-48-32	3 X 2	1 20	241.94
				BP02-48-40	3 X 2 1/2	1 16	241.94



CELLO #	SIZE	BOX/MC	LIST
<b>Fitting Reducer...Continued</b>			
<b>Press x Fitting</b>		<b>Press Fit</b>	<b>BP02-</b>
BP02-64-32	4 X 2	1 10	317.20
BP02-64-40	4 X 2 1/2	1 10	317.20
BP02-64-48	4 X 3	1 10	317.20
<b>Male Adapter</b>			
<b>Press x Male Pipe Thread (MPT)</b>		<b>Press Fit</b>	<b>BP4-</b>
BP4-08	1/2	25 200	6.67
BP4-12	3/4	15 120	10.03
BP4-16	1	15 120	18.42
BP4-20	1 1/4	8 64	40.33
BP4-24	1 1/2	4 32	56.58
BP4-32	2	3 24	108.97
BP4-40	2 1/2	1 28	269.69
BP4-48	3	1 18	339.29
BP4-64	4	1 12	634.41
BP4-08-12	1/2 X 3/4	18 144	10.88
BP4-12-08	3/4 X 1/2	15 120	11.39
BP4-12-16	3/4 X 1	15 120	28.02
BP4-16-12	1 X 3/4	15 120	29.29
BP4-16-20	1 X 1 1/4	9 72	36.50
BP4-20-16	1 1/4 X 1	8 64	42.02
BP4-20-24	1 1/4 X 1 1/2	4 32	44.86
BP4-2-08	1/8 X 1/2	5 250 On Request	
BP4-2-12	1/8 X 3/4	5 160 On Request	
BP4-2-16	1/8 X 1	5 200 On Request	
BP4-2-20	1/8 X 1 1/4	5 80 On Request	
BP4-2-24	1/8 X 1 1/2	5 75 On Request	
BP4-2-32	1/8 X 2	5 25 On Request	
BP4-24-20	1 1/2 X 1 1/4	5 40	56.41
BP4-24-32	1 1/2 X 2	3 24	132.43
BP4-32-24	2 X 1 1/2	3 24	259.25
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20 On Request	
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180 On Request	
BP4-2-16-12	1/8 X 1 X 3/4	5 200 On Request	
<b>Male Union</b>			
<b>Press x Male Thread (MPT)</b>		<b>Press Fit</b>	<b>BP33-4-</b>
BP33-4-08	1/2	12 96	30.96
BP33-4-12	3/4	10 80	42.85

CELLO #	SIZE	BOX/MC	LIST
BP33-4-16	1	5 40	61.61
BP33-4-20	1 1/4	4 32	92.75
BP33-4-24	1 1/2	3 24	129.42
BP33-4-32	2	3 15	168.53
<b>No Stop Coupling</b>			
<b>Press x Press</b>		<b>Press Fit</b>	<b>BP0-NSTOP-</b>
BP0-NSTOP-08	1/2	10 300	11.19
BP0-NSTOP-12	3/4	10 160	14.89
BP0-NSTOP-16	1	10 120	18.26
BP0-NSTOP-20	1 1/4	4 64	27.78
BP0-NSTOP-24	1 1/2	2 40	42.84
BP0-NSTOP-32	2	2 20	49.88
BP0-NSTOP-40	2 1/2	1 32	131.31
BP0-NSTOP-48	3	1 18	188.17
BP0-NSTOP-64	4	1 12	317.20
<b>Press by Pex (F1960) Adapter</b>			
<b>Press x Pex (F1960)</b>		<b>Press Fit</b>	<b>BPPXX0-</b>
BPPXX0-08	1/2	40 320	6.72
BPPXX0-12	3/4	15 120	9.95
BPPXX0-16	1	12 96	16.08
<b>Press by Pex Adapter</b>			
<b>Press x Pex</b>		<b>Press Fit</b>	<b>BPPX0-</b>
BPPX0-08	1/2	40 320	6.40
BPPX0-12	3/4	15 120	8.55
BPPX0-16	1	12 96	11.77
<b>Press to Pex Tee</b>			
<b>Press x Press x Pex</b>		<b>Press Fit</b>	<b>BPPXT-</b>
BPPXT-12-12-08	3/4 X 3/4 X 1/2	10 80	21.13
BPPXT-16-16-08	1 X 1 X 1/2	7 56	28.98
BPPXT-16-16-12	1 X 1 X 3/4	7 56	31.13
<b>Press x Press Union</b>			
		<b>Press Fit</b>	<b>BP33-</b>
BP33-08	1/2	12 96	35.49



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>Press x Press Union...Continued</b>				BP0-64-48	4 X 3	1 10	462.19
<b>Press Fit BP33-</b>				<b>Tee with Female Thread Branch (FPT)</b>			
BP33-12	3/4	10 80	46.54	<b>Press x Press x Female Thread (FPT) Press Fit BP12-</b>			
BP33-16	1	5 40	74.33	BP12-08	1/2	8 64	26.06
BP33-20	1 1/4	4 32	106.14	BP12-12	3/4	7 56	44.28
BP33-24	1 1/2	3 24	144.15	BP12-12-12-08	3/4 X 3/4 X 1/2	7 56	35.37
BP33-32	2	3 15	234.68	BP12-16-16-08	1 X 1 X 1/2	5 70	45.26
<b>Straight Coupling With Stop</b>				BP12-16-16-12	1 X 1 X 3/4	5 40	52.55
<b>Press x Press Press Fit BP0-</b>				BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1 50	64.81
BP0-08	1/2	10 300	4.51	BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1 50	67.21
BP0-12	3/4	10 160	6.87	BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1 32	76.82
BP0-16	1	10 120	13.88	BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1 0	111.61
BP0-20	1 1/4	4 64	17.24	BP12-32-32-08	2 X 2 X 1/2	1 12	93.53
BP0-24	1 1/2	2 40	32.13	BP12-32-32-12	2 X 2 X 3/4	1 12	103.22
BP0-32	2	2 20	41.01	<b>Tees</b>			
BP0-40	2 1/2	1 32	131.31	<b>Press x Press x Press Press Fit BPT-</b>			
BP0-48	3	1 18	168.65	BPT-08	1/2	10 120	7.70
BP0-64	4	1 12	232.16	BPT-12	3/4	10 60	13.56
BP0-12-08	3/4 X 1/2	10 240	21.12	BPT-16	1	4 40	24.45
BP0-16-08	1 X 1/2	10 120	36.87	BPT-20	1 1/4	2 24	41.35
BP0-16-12	1 X 3/4	10 120	23.61	BPT-24	1 1/2	2 16	80.34
BP0-20-08	1 1/4 X 1/2	4 72	81.77	BPT-32	2	1 8	99.26
BP0-20-12	1 1/4 X 3/4	4 72	53.26	BPT-40	2 1/2	1 10	325.67
BP0-20-16	1 1/4 X 1	4 72	34.32	BPT-48	3	1 6	407.06
BP0-24-08	1 1/2 X 1/2	4 40	114.35	BPT-64	4	1 4	639.78
BP0-24-12	1 1/2 X 3/4	4 40	65.12	BPT-08-08-12	1/2 X 1/2 X 3/4	10 80	25.77
BP0-24-16	1 1/2 X 1	4 40	58.44	BPT-08-08-16	1/2 X 1/2 X 1	10 60	36.54
BP0-24-20	1 1/2 X 1 1/4	4 40	50.60	BPT-12-08-08	3/4 X 1/2 X 1/2	10 70	20.92
BP0-32-08	2 X 1/2	1 45	162.73	BPT-12-08-12	3/4 X 1/2 X 3/4	10 30	21.75
BP0-32-12	2 X 3/4	2 32	60.83	BPT-12-12-08	3/4 X 3/4 X 1/2	10 80	11.39
BP0-32-16	2 X 1	2 32	86.53	BPT-12-12-16	3/4 X 3/4 X 1	5 80	43.78
BP0-32-20	2 X 1 1/4	2 32	71.96	BPT-16-08-12	1 X 1/2 X 3/4	10 60	62.49
BP0-32-24	2 X 1 1/2	1 32	56.90	BPT-16-08-16	1 X 1/2 X 1	10 40	39.37
BP0-40-16	2 1/2 X 1	1 0	268.40	BPT-16-12-08	1 X 3/4 X 1/2	10 60	41.57
BP0-40-20	2 1/2 X 1 1/4	1 0	279.07	BPT-16-12-12	1 X 3/4 X 3/4	10 60	37.16
BP0-40-24	2 1/2 X 1 1/2	1 0	281.97	BPT-16-12-16	1 X 3/4 X 1	10 40	42.06
BP0-40-32	2 1/2 X 2	1 30	283.79	BPT-16-16-08	1 X 1 X 1/2	10 60	27.95
BP0-48-24	3 X 1 1/2	1 24	312.02	BPT-16-16-12	1 X 1 X 3/4	10 40	27.78
BP0-48-32	3 X 2	1 24	312.81	BPT-16-16-20	1 X 1 X 1 1/4	4 28	73.03
BP0-48-40	3 X 2 1/2	1 24	366.73	BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1 40	87.08
BP0-64-32	4 X 2	1 10	389.05	BPT-20-12-08	1 1/4 X 3/4 X 1/2	1 50	67.94
BP0-64-40	4 X 2 1/2	1 10	419.83				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>Tees...Continued</b>				BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1 15	484.78
<b>Press x Press x Press</b>				BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1 12	463.26
<b>Press Fit</b>				BPT-40-40-32	2 1/2 X 2 1/2 X 2	1 10	408.37
<b>BPT-</b>				BPT-48-12-48	3 X 3/4 X 3	1 0	519.55
BPT-20-12-12	1 1/4 X 3/4 X 3/4	4 28	71.19	BPT-48-16-48	3 X 1 X 3	1 0	549.92
BPT-20-12-16	1 1/4 X 3/4 X 1	4 28	74.04	BPT-48-32-32	3 X 2 X 2	1 9	549.92
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	4 24	65.50	BPT-48-32-48	3 X 2 X 3	1 0	807.55
BPT-20-16-08	1 1/4 X 1 X 1/2	1 45	61.29	BPT-48-40-32	3 X 2 1/2 X 2	1 0	541.69
BPT-20-16-12	1 1/4 X 1 X 3/4	4 24	48.39	BPT-48-40-40	3 X 2 1/2 X 2 1/2	1 0	598.22
BPT-20-16-16	1 1/4 X 1 X 1	4 24	48.39	BPT-48-48-08	3 X 3 X 1/2	1 0	540.25
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	4 24	51.61	BPT-48-48-12	3 X 3 X 3/4	1 12	528.05
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	4 40	37.87	BPT-48-48-16	3 X 3 X 1	1 12	510.90
BPT-20-20-16	1 1/4 X 1 1/4 X 1	4 32	39.32	BPT-48-48-20	3 X 3 X 1 1/4	1 10	510.90
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	2 16	101.93	BPT-48-48-24	3 X 3 X 1 1/2	1 10	510.90
BPT-24-16-12	1 1/2 X 1 X 3/4	2 18	101.89	BPT-48-48-32	3 X 3 X 2	1 10	499.89
BPT-24-16-16	1 1/2 X 1 X 1	2 18	113.72	BPT-48-48-40	3 X 3 X 2 1/2	1 7	521.40
BPT-24-16-24	1 1/2 X 1 X 1 1/2	2 16	127.64	BPT-64-48-48	4 X 3 X 3	1 0	830.49
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1 25	93.32	BPT-64-64-08	4 X 4 X 1/2	1 0	818.46
BPT-24-20-16	1 1/2 X 1 1/4 X 1	2 16	101.34	BPT-64-64-12	4 X 4 X 3/4	1 0	807.55
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	2 16	74.86	BPT-64-64-16	4 X 4 X 1	1 8	600.00
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	4 24	85.53	BPT-64-64-20	4 X 4 X 1 1/4	1 5	728.64
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	4 24	71.32	BPT-64-64-24	4 X 4 X 1 1/2	1 6	692.60
BPT-24-24-16	1 1/2 X 1 1/2 X 1	4 24	72.64	BPT-64-64-32	4 X 4 X 2	1 6	551.85
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	4 24	75.23	BPT-64-64-40	4 X 4 X 2 1/2	1 4	568.74
BPT-32-08-32	2 X 1/2 X 2	1 10	172.14	BPT-64-64-48	4 X 4 X 3	1 4	623.44
BPT-32-16-16	2 X 1 X 1	1 12	115.65	BPT-64-64-48	4 X 4 X 3	1 4	623.44
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1 12	166.60				
BPT-32-24-12	2 X 1 1/2 X 3/4	1 12	142.85				
BPT-32-24-16	2 X 1 1/2 X 1	1 12	141.01				
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1 12	155.48				
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1 12	157.64				
BPT-32-24-32	2 X 1 1/2 X 2	1 12	137.48				
BPT-32-32-08	2 X 2 X 1/2	1 12	137.48				
BPT-32-32-12	2 X 2 X 3/4	1 12	116.23				
BPT-32-32-16	2 X 2 X 1	1 12	120.02				
BPT-32-32-20	2 X 2 X 1 1/4	1 12	120.10				
BPT-32-32-24	2 X 2 X 1 1/2	1 12	90.22				
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1 0	515.35				
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1 0	532.09				
BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1 0	470.91				
BPT-40-32-12	2 1/2 X 2 X 3/4	1 0	495.13				
BPT-40-32-16	2 1/2 X 2 X 1	1 0	466.20				
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1 0	437.78				
BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1 18	484.78				
BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1 18	484.78				
BPT-40-40-16	2 1/2 X 2 1/2 X 1	1 16	484.78				



## CELLO PRODUCTS INC.

### NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

### Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

### *Available from CELLO PRODUCTS*

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrot*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call  
1-800-265-7882 for Customer Services.*



## CELLO PRODUCTS INC.

### SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

### BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

### WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.