

# CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61\*

\* wrot copper products

Pex No Lead Fittings

CANADA  
Price List #5  
Effective May 17, 2021

## PRICE LIST

CANADA

210 Avenue Road  
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150  
Fax: (519) 621-4108  
Customer Service: 1-800-265-7882  
e-mail:  
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:  
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>NO LEAD ADAPTER - FEMALE</b>				<b>NO LEAD COUPLINGS</b>			
<b>Pex x Fip</b>			<b>PXNL3-</b>	<b>Pex x Pex</b>			<b>PXNL0-</b>
PXNL3-08	1/2	25 300	6.26	PXNL0-06	3/8	25 700	2.32
PXNL3-12	3/4	25 200	9.42	PXNL0-08	1/2	25 700	2.73
PXNL3-16	1	15 120	15.74	PXNL0-10	5/8	25 250	5.10
PXNL3-08-12	1/2 X 3/4	25 200	8.81	PXNL0-12	3/4	10 500	4.28
<b>NO LEAD ADAPTER - MALE</b>				<b>NO LEAD COUPLINGS</b>			
<b>Pex x Mip</b>			<b>PXNL4-</b>	<b>Pex x Copper</b>			<b>PXNL0C-</b>
PXNL4-08	1/2	10 400	5.53	PXNL0C-08	1/2	25 700	4.07
PXNL4-12	3/4	25 200	7.75	PXNL0C-12	3/4	25 300	5.42
PXNL4-16	1	15 120	15.21	PXNL0C-16	1	15 120	9.42
PXNL4-08-12	1/2 X 3/4	10 200	7.78	PXNL0C-10-08	5/8 X 1/2	25 600	5.00
PXNL4-12-08	3/4 X 1/2	100 400	5.93	PXNL0C-10-12	5/8 X 3/4	25 300	5.31
PXNL4-12-16	3/4 X 1	10 120	14.68	<b>NO LEAD COUPLINGS</b>			
PXNL4-16-12	1 X 3/4	15 120	9.22	<b>PB x Pex</b>			<b>PXNL0PXPB-</b>
<b>NO LEAD BALL VALVE - FULL SIZE</b>				<b>NO LEAD COUPLINGS</b>			
			<b>PXNLBALFB-</b>	<b>Pex x Pex</b>			<b>PXNL0PXPB-</b>
PXNLBALFB-08	1/2	10 120	25.71	PXNL0PXPB-08	1/2	25 400	5.21
PXNLBALFB-12	3/4	10 120	34.98	PXNL0PXPB-12	3/4	25 200	7.32
PXNLBALFB-16	1	6 54	59.72	<b>NO LEAD ELBOWS</b>			
<b>NO LEAD BUSHINGS</b>				<b>NO LEAD ELBOWS</b>			
<b>Pex x Fitting</b>			<b>PXNL02-</b>	<b>Pex x Pex</b>			<b>PXNL7-</b>
PXNL02-08	1/2	25 700	2.83	PXNL7-06	3/8	25 700	4.38
PXNL02-12	3/4	25 300	5.41	PXNL7-08	1/2	25 700	3.56
PXNL02-16	1	10 200	8.19	PXNL7-10	5/8	25 700	7.16
PXNL02-08-12	1/2 X 3/4	25 250	6.13	PXNL7-12	3/4	25 300	5.82
PXNL02-10-08	5/8 X 1/2	25 250	6.13	PXNL7-16	1	15 120	10.97
PXNL02-10-12	5/8 X 3/4	25 300	6.13	PXNL7-12-08	3/4 X 1/2	25 500	4.89
<b>NO LEAD COUPLING - FAUCET</b>				<b>NO LEAD ELBOWS</b>			
<b>Pex x Swivel</b>			<b>PXNLS0-</b>	<b>Pex x Copper</b>			<b>PXNL7C-</b>
PXNLS0-08	1/2	10 400	5.74	PXNL7C-08	1/2	25 500	4.68
PXNLS0-08BR	1/2	10 400	9.74	PXNL7C-12	3/4	25 200	8.50
				PXNL7C-08-12	1/2 X 3/4	25 200	7.16



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST		
<b>NO LEAD ELBOWS...Continued</b>									
<b>Pex x Copper</b>				<b>PXNL7C-</b>					
PXNL7C-10-12	5/8 X 3/4	25	200	7.99	PXNLT-16-12-12	1 X 3/4 X 3/4	30	150	12.58
<b>NO LEAD ELBOWS</b>									
<b>Pex x Copper Male (Fitting End)</b>				<b>PXNL7C-2-</b>					
PXNL7C-2-08	1/2	25	500	4.28	PXNLT-16-12-16	1 X 3/4 X 1	10	200	15.74
PXNL7C-2-12	3/4	25	200	11.53	PXNLT-16-16-08	1 X 1 X 1/2	15	120	12.00
PXNL7C-2-08-12	1/2 X 3/4	25	200	9.42	PXNLT-16-16-12	1 X 1 X 3/4	10	150	13.63
PXNL7C-2-10-12	5/8 X 3/4	25	200	11.00	<b>NO LEAD TEST PLUGS</b>				
<b>NO LEAD ELBOWS - DROP EAR</b>									
<b>Pex x Fip</b>				<b>PXNL735-</b>					
PXNL735-12	3/4	25	100	18.89	<b>PXNLTEST-</b>				
PXNL735-3-08	3/16 X 1/2	25	150	13.34					
<b>NO LEAD ELBOWS - FAUCET</b>									
<b>Pex x Swivel Fip</b>				<b>PXNLS7-</b>					
PXNLS7-08	1/2	10	400	10.16	PXNLTEST-08	1/2	25	1,200	1.74
PXNLS7-08BR	1/2	10	400	10.05	PXNLTEST-12	3/4	25	700	3.11
<b>NO LEAD ELBOWS - MALE 90</b>									
<b>Pex x Mip 90</b>				<b>PXNL74-</b>					
PXNL74-08	1/2	25	400	7.32	PXNLTEST-16	1	25	400	6.47
<b>NO LEAD TEES</b>									
<b>Pex x Pex x Pex</b>				<b>PXNLT-</b>					
PXNLT-06	3/8	25	400	6.26	<b>CRIMP RINGS BLACK</b>				
PXNLT-08	1/2	25	400	4.79					
PXNLT-12	3/4	25	300	8.09					
PXNLT-16	1	10	100	13.86					
PXNLT-08-08-12	1/2 X 1/2 X 3/4	25	300	6.44					
PXNLT-12-08-08	3/4 X 1/2 X 1/2	25	300	6.54					
PXNLT-12-08-12	3/4 X 1/2 X 3/4	25	300	7.32					
PXNLT-12-12-08	3/4 X 3/4 X 1/2	25	250	6.96					
PXNLT-12-12-16	3/4 X 3/4 X 1	10	150	14.43					
PXNLT-16-12-08	1 X 3/4 X 1/2	30	150	13.34					



# CELLO PRODUCTS INC.

## NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

## Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

## *Available from CELLO PRODUCTS*

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrot*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call  
1-800-265-7882 for Customer Services.*



## CELLO PRODUCTS INC.

### SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

### BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

### WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taking in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.